

UC-322-Revoke TherExclusion-Patient-Pharmacy

Used Documentation

Cookbook	Version	Location
Therapeutic Exclusion Cookbook	1.2	https://www.ehealth.fgov.be/ehealthplatform/nl/search?q=therapeutic+exclusion

General Information

Therapeutic Exclusion

The existence of an active 'therapeutic exclusion' is a fundamental prerequisite for the citizen to prevent healthcare providers from accessing his medical data. Therefore, the eHealth platform makes available to the citizen a new web service (WS) called Therapeutic Exclusion.

Technically, we identify the following attributes for a therapeutic exclusion:

- If the excluded healthcare party is a practitioner
 - The identification number of the Belgian National Register (INSS) of the patient
 - The INSS of the practitioner

Therefore, if the practitioner has multiple healthcare professions i.e. multiple NIHI, multiple professional

categories and being excluded for one profession, the practitioner is considered as excluded for other professions as well.

- If the excluded healthcare party is an organization
 - The INSS of the patient;
 - The NIHI (Number assigned by the National Institute for Health and Invalidity Insurance) of the organization.

A citizen can exclude one or more healthcare parties and one or more citizens can exclude one healthcare party.


According to the current business rules, for the purpose of the therapeutic exclusion:

- 'Citizen' means any patient; parent and mandatory of the concerned patient managing therapeutic exclusion through the Therapeutic Exclusion WS integrated in their usual software.
- Only following HC Parties can be excluded by citizen:
 - As practitioner: Physician, Nurse, Dentist, Midwife, Audician, Physiotherapist, Occupational therapist, Practical nurse, Dietician, Audiologist, Podologist, Truss maker, Logopedist, Orthoptist, Lab technologist, Imaging technologist.
 - As organization: Pharmacy

The management of the therapeutic exclusions consists of the following operations

PutTherapeuticExclusion	Allows the end-user to declare a therapeutic exclusion
RevokeTherapeuticExclusion	Allows the end-user to revoke of an active therapeutic exclusion
GetTherapeuticExclusion	Allows the end-user to consult the active therapeutic exclusion(s)

Basic Flow

Flow	Specifications		
 Unknown macro: 'drawio'	<table><tr><td>ID</td><td>UC-322-BF</td></tr></table>	ID	UC-322-BF
ID	UC-322-BF		

Name	Revoke Therapeutic Exclusion - Patient - Pharmacy
Description	Revoke Therapeutic Exclusion allows an end-user to revoke a therapeutic exclusion. The excluded HC party is a pharmacy.
Actor(s)	Patient
Requirements	<ul style="list-style-type: none"> • End-user is a patient • Valid e-ID • Identification end-user <p>°Patient Software information</p> <p>°Identification patient: SSIN</p> <ul style="list-style-type: none"> • Identification concerned patient: SSIN, support card number (optional), first and family name (optional) • Identification excluded HC party: valid and compliant NIHI, organization category, organization name (optional)
Trigger	The user wants to revoke a Therapeutic Exclusion
Precondition(s)	<ul style="list-style-type: none"> • The user has an account for the application • The user is logged out
Flow	<ol style="list-style-type: none"> 1. The user attempts to access the eHealth Consent WS 2. The user needs to request a SAML Token by using his eID 3. A request for a SAML Token is sent to the Secure Token Service (STS) 4. The STS responds with a SAML Token 5. The user has access to the eHealth WS Therapeutic Exclusions 6. The user does a request for Revoke Therapeutic Exclusion 7. The Revoke Therapeutic Exclusion Request is sent to the WS Therapeutic Exclusions 8. The Therapeutic Exclusion is physically removed from the database 9. The request is logged 10. The WS Therapeutic Exclusions responds with a Revoke Therapeutic Exclusion Response
Post Condition(s)	<ul style="list-style-type: none"> • The request is logged • The Therapeutic Exclusion is physically removed from the database • The audit data
Test Data	<ul style="list-style-type: none"> • Example Revoke Therapeutic Exclusion Request • Example Revoke Therapeutic Exclusion Response Successful • Example Revoke Therapeutic Exclusion Response Unsuccessful
End point(s)	Therapeutic Exclusions Database
Remarks	<ul style="list-style-type: none"> • The support card numbers are optional: provided or not, it will not be submitted to card status validation • First and family name are optional, if not provided then they are enriched based on provided INSS • NIHI: if not provided then the NIHI is not enriched based on the provided INSS. If provided, the NIHI must be valid and compliant

	<div>Comments</div> <ul style="list-style-type: none"> • The INSS identifies the patient. • The INSS identifies the excluded professional. • The NIHL identifies the excluded organization. • It is a physical deletion i.e. the exclusion is no longer stored in DB. • There is no cross validation between identifier vs category professional of the excluded HC Party. If mismatch occurs , the revocation request is not rejected • The revocation is applied on the INSS of the concerned patient and the INSS of the excluded practitioner or the NIHL of the excluded organization
--	--

Exception Flow

Flow	Specifications
------	----------------



Unknown macro: 'drawio'

ID	UC-322-EF
Name	Revoke Therapeutic Exclusion - Patient - Pharmacy - The exclusion to revoke is not found
Description	Revoke Therapeutic Exclusion allows an end-user to revoke a therapeutic exclusion. The excluded HC party is a pharmacy. The exclusion to revoke is not found
Actor(s)	Patient
Requirements	<ul style="list-style-type: none">• End-user is a patient• Valid e-ID• Identification end-user <p>°Patient Software information</p> <p>°Identification patient: SSIN</p> <ul style="list-style-type: none">• Identification concerned patient: SSIN, support card number (optional), first and family name (optional)• Identification excluded HC party: valid and compliant NIHL, organization category, organization name (optional)• The exclusion to revoke is not found
Trigger	The user wants to revoke a Therapeutic Exclusion
Precondition(s)	<ul style="list-style-type: none">• The user has an account for the application• The user is logged out
Flow	<ol style="list-style-type: none">1. The user attempts to access the eHealth Consent WS2. The user needs to request a SAML Token by using his eID3. A request for a SAML Token is sent to the Secure Token Service (STS)4. The STS responds with a SAML Token5. The user has access to the eHealth WS Therapeutic Exclusions6. The user does a request for Revoke Therapeutic Exclusion7. The Revoke Therapeutic Exclusion Request is sent to the WS Therapeutic Exclusions8. The WS Therapeutic Exclusions responds with a Revoke Therapeutic Exclusion Response: error message
Post Condition(s)	Error message
Test Data	<ul style="list-style-type: none">• Example Revoke Therapeutic Exclusion Request• Example Revoke Therapeutic Exclusion Response Successful• Example Revoke Therapeutic Exclusion Response Unsuccessful
End point(s)	Therapeutic Exclusions Database