TS-104 (ATH-TS-17): Consult a consent of a patient using the getPAtientConsentStatus method - the REST version

Aller directement à la fin des métadonnées Aller au début des métadonnées

User story

• As a user I want to login into the application (MAIN) So that the application (MAIN) displays the history of my consent.

Case 1: the user has given his consent

Initial data:

• the user must have given his consent to ehealth

Test script ID	Test A	Actions		Assertion	
Conse nt-104				When the test actions are performed	
	Seq	Actor	Action	Automatic/Manual	the following assertions must be checked: MAIN: • the application must display the consent history.
	1	MAIN	Start an identification action	Automatic: could be automate but cannot be generic since the applications to test have all a different layout.	
	2	CSAM	Log in with eid / TO TP / itsME	see TS-001	
	3	eHeal th- IDP	Choose a profile (citizen or healthcar e giver)	Could be difficult to automate as CSAM and MAIN are different applications	
	4	MAIN	Display the consent history of the user	Could be difficult to automate as CSAM and MAIN are different applications	

Case 2: the user has not given his consent

Initial data:

• the user hasn't given his consent to ehealth

Test script	Test Actions	Assertion
ID		

http://wiki.ivlab.iminds.be

Conse			
nt-104			

Seq	Actor	Action	Automatic/Manual
1	MAIN	Start an identification action	Automatic: could be automate but cannot be generic since the applications to test have all a different layout.
2	CSAM	Log in with eid / TO TP / itsME	see TS-001
3	eHeal th- IDP	Choose a profile (citizen or healthcar e giver)	Could be difficult to automate as CSAM and MAIN are different applications
4	MAIN	Display the consent history of the user	Could be difficult to automate as CSAM and MAIN are different applications

When the test actions are performed the following assertions must be checked:

MAIN:

• the application must display that the user hasn't given his consent to eHealth.

http://wiki.ivlab.iminds.be Page 2 / 2