## TS-402: Read message

## Feature

User story	As a user I want to be able to read a message So that I am able to know what another user sent me
Use case	UC-402: Read message
Test data	The test data is added automatically when starting the automated test scripts.
	The test data can be found in the project at:
	<ul> <li>src/test/resources/testdata/readMessages.json</li> </ul>
Expected result	Check the response of the webservice call.
Actual result	Check the front-end of the application under test.
Test pass conditions	The following values need to be verified:
	<ul> <li>Document title</li> <li>Document filename</li> <li>Patient INSS</li> <li>Is important</li> <li>Is encrypted</li> <li>Document content</li> </ul> The following values need to be verified for every attachment: <ul> <li>Annex title</li> <li>Annex filename</li> <li>Annex content</li> </ul> If the message is in the inbox: The following values need to be verified: <ul> <li>Sender first name</li> <li>Sender quality</li> </ul> If the message is in the sent box: The following values need to be verified: <ul> <li>Destination first name</li> <li>Destination last name</li> <li>Destination quality</li> </ul>

## **Scenarios (Cucumber)**

readMessage.feature		
#Remove the @ignore-tag(	) of scenarios you want to start testing.	
@ignore		
Feature: TS-402: Read me	sage	
As a user		
I want to be able to read	a message	
So that I am able to know	what another user sent me	
@ignore		
Scenario: Read a basic m	ssage from the inbox	
Given user is logged in		
When user is consulting		
And user reads the 'read		
Then the 'read: basic' m	ssage is shown correctly in the INBOX	
@ignore		
	from the sent box with two recipients	
Given user is logged in		
When user is consulting And user reads the 'read		
	ients' message is shown correctly in the SENTBOX	
inch the read, two reer	tenes message is shown correctly in the blarbox	
@ignore		
Scenario: Read an encryp	ed message	
Given user is logged in		
When user is consulting		
And user reads the 'read		
Then the 'read: encrypte	message is shown correctly in the INBOX	
@ignore		
Scenario: Read a message	with an attachment	
Given user is logged in		
When user is consulting		
And user reads the 'read	-	
Then the 'read: attachme	t' message is shown correctly in the INBOX	
@ignore		
Scenario: Read a message	with two attachments	
Given user is logged in		
When user is consulting		
And user reads the 'read Then the 'read' attachmo		
inch the reau. attachille.	s' message is shown correctly in the INBOX	
@ignore		
	ed message with an attachment	
Given user is logged in		
When user is consulting		
	encrypted with attachment' message	
Inen the 'read: encrypte	with attachment' message is shown correctly in the INBOX	