


# UC-231-Put TherLink - HC Prof pharmacy-new-born

## Used Documentation

Cookbook	Version	Location
Therapeutic Link WS Cookbook	1.6	<a href="https://www.ehealth.fgov.be/ehealthplatform/nl/service-ehealth-therapeutic-links">https://www.ehealth.fgov.be/ehealthplatform/nl/service-ehealth-therapeutic-links</a>

## General Information

### Therapeutic Links



#### Management of the Therapeutic Links:

- The eHealth consent WA will allow both patients (incl. patient's parents or mandataries) and authorized HC parties to manage the therapeutic links (declaration, revocation and consultation)
- The authorized HC parties, citizen (incl. concerned patients, parents of patients or patient's mandataries) are also able to perform the same operations throughout their usual software by calling the eHealth therapeutic link WS.
- The authorized HC organizations are only authorized to verify the existence of the therapeutic links before allowing the HC parties to access the medical data of the patients by calling the therapeutic link consultation WS through their application.

The existence of a therapeutic relation is one of the fundamental prerequisites for the healthcare (HC) providers to access a patient's medical data. Therefore, the eHealth platform makes available to the actors involved in the exchange, storage or referencing personal data, a relay service to manage those therapeutic relations and associated means of evidence.

This relay service is obviously limited to kinds of therapeutic links made available at the eHealth platform level by the 'owner' of this therapeutic link (such as the HC party declaring a therapeutic link or the actor responsible of a recognized specific database, e.g. for Global Medical File relation). A therapeutic link is a relation between a patient and a HC party for a certain type of therapeutic relation over a period of validity depending on the given evidence. It is not possible to update an existing therapeutic link; to update information you first need to revoke the existing therapeutic link.

However, the period of validity of an active therapeutic link could be extended on the condition that

- The start date of the new period is greater or equal to the start date of the period to be extended
- The end date of the new period is greater than the end date of the period to be extended (overlap of period of validity)

The following operations (request-response operation type) will support the management of these links:

<b>PutTherapeuticLink</b>	Used to declare the therapeutic links. Its main purpose is to allow one to declare a therapeutic link.
<b>RevokeTherapeuticLink</b>	Used to revoke the therapeutic links. Its main purpose is to allow one to “end” the (declaration of a) therapeutic link.
<b>GetTherapeuticLink</b>	Used to consult therapeutic links according to basic search parameters. Its main purpose is to allow one to check the existence of the therapeutic links when executing a consultation process
<b>HasTherapeuticLink</b>	Used to check the existence of a therapeutic link

The therapeutic links are managed according to the rules corresponding to the type of therapeutic link through:

- Specific webservices (WS) by HC professionals as end-users through their usual software or through an authorized organization
- A dedicated web application (WA), currently called eHealth Consent with following end-users: Patients and HC professionals/ HC professionals within an organization

	Declare/Put	Revoke	Consult (Get)	Has
<b>Citizen (patient, parent, mandatory)</b>	Yes	Yes	Yes	Yes
<b>Authorized HC Parties (HC professionals)</b>	Yes	Yes	Yes	Yes
<b>Authorized HC organizations</b>	No	No	Yes	Yes

## KMEHR


This service is a 'KMEHR-based' WS. We thus strongly recommend consulting the documentation related to the KMEHR normative elements. The KMEHR site aims to offer a central point for the documentation of the KMEHR normative elements.

<https://www.ehealth.fgov.be/standards/kmehr/en>

The three following generic elements are, in particular, essentials to build the request and the reply of the therapeutic link WS.

- **cd** : This is the key element used to code information: this section is completely based on the description from the KMEHR standard, as can be found on: <https://www.ehealth.fgov.be/standards/kmehr/en/page/key-elements#cd>
- **id**: This element is used to uniquely identify key elements like request, response of the WS, patient, HCParty. It can also be used to specify any unique identifier: this section is completely based on the description from the KMEHR standard, as can be found on: <https://www.ehealth.fgov.be/standards/kmehr/en/page/key-elements#id>
- **HC Party**: The hcparty element is a generic element that aims to represent any kind of healthcare party: organization, physician, medical specialty, or even IT systems: this section is entirely based on the description from the KMEHR standard, as can be found on: <https://www.ehealth.fgov.be/standards/kmehr/en/page/hcparty>

## Basic Flow

Flow	Specifications				
 Unknown macro: 'drawio'	<table> <tr> <td>ID</td><td>UC-231-BF</td></tr> <tr> <td>Name</td><td>Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born</td></tr> </table>	ID	UC-231-BF	Name	Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born
ID	UC-231-BF				
Name	Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born				


Desc ription	<p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization)</p>
Actor (s)	HC Professional in a pharmacy who is the pharmacy holder
Requ irem ents	<ul style="list-style-type: none"> <li>• End-user is a HC professional in a pharmacy who is the pharmacy holder</li> <li>• End-user manages the therapeutic links throughout his usual software</li> <li>• Valid eHealth Certificate of the pharmacy</li> <li>• Concerned patient is a new-born</li> <li>• Identification HC professional</li> </ul> <p>°Identifier pharmacy: NIHII, HC category</p> <p>°Identifier pharmacy holder: SSIN, NIHII, HC party category</p> <ul style="list-style-type: none"> <li>• Information therapeutic link</li> </ul> <p>°Identification concerned patient: SSIN, first and family name</p> <p>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</p> <ul style="list-style-type: none"> <li>• Type of therapeutic link: pharmacydelivery</li> <li>• Period of validity 15 months</li> </ul>
Trigg er	The user wants to put a therapeutic link
Prec onditi on(s)	<ul style="list-style-type: none"> <li>• The user has an account for the application</li> <li>• The user is logged out</li> </ul>
Flow	<ol style="list-style-type: none"> <li>1. The user attempts to access the eHealth WS Therapeutic Link</li> <li>2. The user needs to request a SAML Token by using it's <i>personal eHealth Certificate</i></li> <li>3. A request for a SAML Token is sent to the Secure Token Service (STS)</li> <li>4. The STS responds with a SAML Token</li> <li>5. The user has access to the eHealth WS Therapeutic Link</li> <li>6. The user does a request for Put Therapeutic Link</li> <li>7. The Put Therapeutic Link Request is sent to the WS Therapeutic Link</li> <li>8. The Therapeutic link is created in eHealth Database</li> <li>9. The request is logged</li> <li>10. The WS Consent responds with a Therapeutic Link Response</li> </ol>
Post condi tion (s)	<ul style="list-style-type: none"> <li>• Request is logged</li> <li>• The Therapeutic Link is created in eHealth Database</li> </ul>
Test Data	<ul style="list-style-type: none"> <li>• <a href="#">Example Pharmacy</a></li> <li>• <a href="#">Example Put Therapeutic Link Request</a></li> <li>• <a href="#">Example Put Therapeutic Link Response</a></li> <li>• <a href="#">Example Put Therapeutic Link Response - Unsuccessful</a></li> </ul>
Endp oint (s)	Therapeutic Link Database

# Alternative Flow

Flow	Specifications																
<div>Unknown macro: 'drawio'</div>	<table> <tr> <td>ID</td><td>UC-231-AF01</td></tr> <tr> <td>Na me</td><td>Put Therapeutic Link - HC Professional within a pharmacy (not pharmacy holder) – new-born</td></tr> <tr> <td>Des cript ion</td><td> <p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy who isn't the pharmacy holder, acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization)</p> </td></tr> <tr> <td>Acto r(s)</td><td>HC Professional in a pharmacy who isn't the pharmacy holder</td></tr> <tr> <td>Req uire men ts</td><td> <ul style="list-style-type: none"> <li>End-user is a HC professional in a pharmacy who isn't the pharmacy holder</li> <li>End-user manages the therapeutic links throughout his usual software</li> <li>Valid eHealth Certificate of the pharmacy</li> <li>Concerned patient is a new-born</li> <li>Identification HC professional                             <ul style="list-style-type: none"> <li>°Identifier pharmacy: NIHII, HC category</li> <li>°Identifier pharmacy holder: SSIN, NIHII, HC party category</li> <li>°Identifier end-user: SSIN, NIHII (if available), HC party category</li> </ul> </li> <li>Information therapeutic link                             <ul style="list-style-type: none"> <li>°Identification concerned patient: SSIN, first and family name</li> <li>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</li> </ul> </li> <li>Type of therapeutic link: <a href="#">pharmacydelivery</a></li> <li>Period of validity 15 months</li> </ul> </td></tr> <tr> <td>Trig ger</td><td>The user wants to put a therapeutic link</td></tr> <tr> <td>Prec ondi tion (s)</td><td> <ul style="list-style-type: none"> <li>The user has an account for the application</li> <li>The user is logged out</li> </ul> </td></tr> <tr> <td>Flow</td><td> <ol style="list-style-type: none"> <li>The user attempts to access the eHealth WS Therapeutic Link</li> <li>The user needs to request a SAML Token by using it's <i>personal eHealth Certificate</i></li> <li>A request for a SAML Token is sent to the Secure Token Service (STS)</li> <li>The STS responds with a SAML Token</li> <li>The user has access to the eHealth WS Therapeutic Link</li> <li>The user does a request for Put Therapeutic Link</li> <li>The Put Therapeutic Link Request is sent to the WS Therapeutic Link</li> <li>The Therapeutic link is created in eHealth Database</li> <li>The request is logged</li> <li>The WS Consent responds with a Therapeutic Link Response</li> </ol> </td></tr> </table>	ID	UC-231-AF01	Na me	Put Therapeutic Link - HC Professional within a pharmacy (not pharmacy holder) – new-born	Des cript ion	<p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy who isn't the pharmacy holder, acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization)</p>	Acto r(s)	HC Professional in a pharmacy who isn't the pharmacy holder	Req uire men ts	<ul style="list-style-type: none"> <li>End-user is a HC professional in a pharmacy who isn't the pharmacy holder</li> <li>End-user manages the therapeutic links throughout his usual software</li> <li>Valid eHealth Certificate of the pharmacy</li> <li>Concerned patient is a new-born</li> <li>Identification HC professional                             <ul style="list-style-type: none"> <li>°Identifier pharmacy: NIHII, HC category</li> <li>°Identifier pharmacy holder: SSIN, NIHII, HC party category</li> <li>°Identifier end-user: SSIN, NIHII (if available), HC party category</li> </ul> </li> <li>Information therapeutic link                             <ul style="list-style-type: none"> <li>°Identification concerned patient: SSIN, first and family name</li> <li>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</li> </ul> </li> <li>Type of therapeutic link: <a href="#">pharmacydelivery</a></li> <li>Period of validity 15 months</li> </ul>	Trig ger	The user wants to put a therapeutic link	Prec ondi tion (s)	<ul style="list-style-type: none"> <li>The user has an account for the application</li> <li>The user is logged out</li> </ul>	Flow	<ol style="list-style-type: none"> <li>The user attempts to access the eHealth WS Therapeutic Link</li> <li>The user needs to request a SAML Token by using it's <i>personal eHealth Certificate</i></li> <li>A request for a SAML Token is sent to the Secure Token Service (STS)</li> <li>The STS responds with a SAML Token</li> <li>The user has access to the eHealth WS Therapeutic Link</li> <li>The user does a request for Put Therapeutic Link</li> <li>The Put Therapeutic Link Request is sent to the WS Therapeutic Link</li> <li>The Therapeutic link is created in eHealth Database</li> <li>The request is logged</li> <li>The WS Consent responds with a Therapeutic Link Response</li> </ol>
ID	UC-231-AF01																
Na me	Put Therapeutic Link - HC Professional within a pharmacy (not pharmacy holder) – new-born																
Des cript ion	<p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy who isn't the pharmacy holder, acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization)</p>																
Acto r(s)	HC Professional in a pharmacy who isn't the pharmacy holder																
Req uire men ts	<ul style="list-style-type: none"> <li>End-user is a HC professional in a pharmacy who isn't the pharmacy holder</li> <li>End-user manages the therapeutic links throughout his usual software</li> <li>Valid eHealth Certificate of the pharmacy</li> <li>Concerned patient is a new-born</li> <li>Identification HC professional                             <ul style="list-style-type: none"> <li>°Identifier pharmacy: NIHII, HC category</li> <li>°Identifier pharmacy holder: SSIN, NIHII, HC party category</li> <li>°Identifier end-user: SSIN, NIHII (if available), HC party category</li> </ul> </li> <li>Information therapeutic link                             <ul style="list-style-type: none"> <li>°Identification concerned patient: SSIN, first and family name</li> <li>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</li> </ul> </li> <li>Type of therapeutic link: <a href="#">pharmacydelivery</a></li> <li>Period of validity 15 months</li> </ul>																
Trig ger	The user wants to put a therapeutic link																
Prec ondi tion (s)	<ul style="list-style-type: none"> <li>The user has an account for the application</li> <li>The user is logged out</li> </ul>																
Flow	<ol style="list-style-type: none"> <li>The user attempts to access the eHealth WS Therapeutic Link</li> <li>The user needs to request a SAML Token by using it's <i>personal eHealth Certificate</i></li> <li>A request for a SAML Token is sent to the Secure Token Service (STS)</li> <li>The STS responds with a SAML Token</li> <li>The user has access to the eHealth WS Therapeutic Link</li> <li>The user does a request for Put Therapeutic Link</li> <li>The Put Therapeutic Link Request is sent to the WS Therapeutic Link</li> <li>The Therapeutic link is created in eHealth Database</li> <li>The request is logged</li> <li>The WS Consent responds with a Therapeutic Link Response</li> </ol>																


Post Condition(s)	<ul style="list-style-type: none"> <li>Request is logged</li> <li>The Therapeutic Link is created in eHealth Database</li> </ul>
Test Data	<ul style="list-style-type: none"> <li>Example Pharmacy</li> <li>Example Put Therapeutic Link Request</li> <li>Example Put Therapeutic Link Response</li> <li>Example Put Therapeutic Link Response - Unsuccessful</li> </ul>
Endpoint(s)	Therapeutic Link Database

## Exception Flow 1

Flow	Specifications										
 Unknown macro: 'drawio'	<table> <tr> <td>ID</td><td>UC-231-EF01</td></tr> <tr> <td>Name</td><td>Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born - <b>HC party performing the declaration does not belong to the same HC party category as the HC party concerned by the therapeutic link</b></td></tr> <tr> <td>Description</td><td> <p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization) <b>HC party performing the declaration does not belong to the same HC party category as the HC party concerned by the therapeutic link</b></p> </td></tr> <tr> <td>Actor(s)</td><td>HC Professional in a pharmacy</td></tr> <tr> <td>Requirements</td><td> <ul style="list-style-type: none"> <li>End-user is a HC professional in a pharmacy who is the pharmacy holder</li> <li>End-user manages the therapeutic links throughout his usual software</li> <li>Valid eHealth Certificate of the pharmacy</li> <li>Concerned patient is a new-born</li> <li>Identification HC professional</li> </ul> <p>°Identifier pharmacy: NIHII, HC category</p> <p>°Identifier pharmacy holder: SSIN, NIHII, HC party category</p> <ul style="list-style-type: none"> <li>Information therapeutic link</li> </ul> <p>°Identification concerned patient: SSIN, first and family name</p> <p>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</p> <ul style="list-style-type: none"> <li>Type of therapeutic link: pharmacydelivery</li> <li>Period of validity 15 months</li> <li><b>HC party performing the declaration does not belong to the same HC party category as the HC party concerned by the therapeutic link</b></li> </ul> </td></tr> </table>	ID	UC-231-EF01	Name	Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born - <b>HC party performing the declaration does not belong to the same HC party category as the HC party concerned by the therapeutic link</b>	Description	<p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization) <b>HC party performing the declaration does not belong to the same HC party category as the HC party concerned by the therapeutic link</b></p>	Actor(s)	HC Professional in a pharmacy	Requirements	<ul style="list-style-type: none"> <li>End-user is a HC professional in a pharmacy who is the pharmacy holder</li> <li>End-user manages the therapeutic links throughout his usual software</li> <li>Valid eHealth Certificate of the pharmacy</li> <li>Concerned patient is a new-born</li> <li>Identification HC professional</li> </ul> <p>°Identifier pharmacy: NIHII, HC category</p> <p>°Identifier pharmacy holder: SSIN, NIHII, HC party category</p> <ul style="list-style-type: none"> <li>Information therapeutic link</li> </ul> <p>°Identification concerned patient: SSIN, first and family name</p> <p>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</p> <ul style="list-style-type: none"> <li>Type of therapeutic link: pharmacydelivery</li> <li>Period of validity 15 months</li> <li><b>HC party performing the declaration does not belong to the same HC party category as the HC party concerned by the therapeutic link</b></li> </ul>
ID	UC-231-EF01										
Name	Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born - <b>HC party performing the declaration does not belong to the same HC party category as the HC party concerned by the therapeutic link</b>										
Description	<p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization) <b>HC party performing the declaration does not belong to the same HC party category as the HC party concerned by the therapeutic link</b></p>										
Actor(s)	HC Professional in a pharmacy										
Requirements	<ul style="list-style-type: none"> <li>End-user is a HC professional in a pharmacy who is the pharmacy holder</li> <li>End-user manages the therapeutic links throughout his usual software</li> <li>Valid eHealth Certificate of the pharmacy</li> <li>Concerned patient is a new-born</li> <li>Identification HC professional</li> </ul> <p>°Identifier pharmacy: NIHII, HC category</p> <p>°Identifier pharmacy holder: SSIN, NIHII, HC party category</p> <ul style="list-style-type: none"> <li>Information therapeutic link</li> </ul> <p>°Identification concerned patient: SSIN, first and family name</p> <p>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</p> <ul style="list-style-type: none"> <li>Type of therapeutic link: pharmacydelivery</li> <li>Period of validity 15 months</li> <li><b>HC party performing the declaration does not belong to the same HC party category as the HC party concerned by the therapeutic link</b></li> </ul>										


Trigger	The user wants to put a therapeutic link
Precondition(s)	<ul style="list-style-type: none"> <li>The user has an account for the application</li> <li>The user is logged out</li> </ul>
Flow	<ol style="list-style-type: none"> <li>The user attempts to access the eHealth WS Therapeutic Link</li> <li>The user needs to request a SAML Token by using its <i>personal eHealth Certificate</i></li> <li>A request for a SAML Token is sent to the Secure Token Service (STS)</li> <li>The STS responds with a SAML Token</li> <li>The user has access to the eHealth WS Therapeutic Link</li> <li>The user does a request for Put Therapeutic Link</li> <li>The Put Therapeutic Link Request is sent to the WS Therapeutic Link</li> <li>The WS Consent responds with a Therapeutic Link Response: <b>error message</b></li> </ol>
Postcondition(s)	<b>Error message</b>
Test Data	<ul style="list-style-type: none"> <li>Example Put Therapeutic Link Request</li> <li>Example Put Therapeutic Link Response</li> <li>Example Put Therapeutic Link Response - Unsuccessful</li> </ul>
Endpoint(s)	Therapeutic Link Database

## Exception Flow 2

Flow	Specifications						
 Unknown macro: 'drawio'	<table> <tr> <td>ID</td><td>UC-231-EF02</td></tr> <tr> <td>Name</td><td>Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born - <b>A valid therapeutic link of the same type and for the same HC party already exists</b></td></tr> <tr> <td>Description</td><td> <p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization) <b>A valid therapeutic link of the same type and for the same HC party already exists</b></p> </td></tr> </table>	ID	UC-231-EF02	Name	Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born - <b>A valid therapeutic link of the same type and for the same HC party already exists</b>	Description	<p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization) <b>A valid therapeutic link of the same type and for the same HC party already exists</b></p>
ID	UC-231-EF02						
Name	Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born - <b>A valid therapeutic link of the same type and for the same HC party already exists</b>						
Description	<p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization) <b>A valid therapeutic link of the same type and for the same HC party already exists</b></p>						

Actor(s)	HC Professional in a pharmacy
Requirements	<ul style="list-style-type: none"> <li>• End-user is a HC professional in a pharmacy who is the pharmacy holder</li> <li>• End-user manages the therapeutic links throughout his usual software</li> <li>• Valid eHealth Certificate of the pharmacy</li> <li>• Concerned patient is a new-born</li> <li>• Identification HC professional</li> </ul> <p>°Identifier pharmacy: NIHI, HC category</p> <p>°Identifier pharmacy holder: SSIN, NIHI, HC party category</p> <ul style="list-style-type: none"> <li>• Information therapeutic link</li> </ul> <p>°Identification concerned patient: SSIN, first and family name</p> <p>°Identification concerned HC party: NIHI (8digits), HC party category, organization name (optional)</p> <ul style="list-style-type: none"> <li>• Type of therapeutic link: pharmacydelivery</li> <li>• Period of validity 15 months</li> <li>• A valid therapeutic link of the same type and for the same HC party already exists</li> </ul>
Trigger	The user wants to put a therapeutic link
Precondition(s)	<ul style="list-style-type: none"> <li>• The user has an account for the application</li> <li>• The user is logged out</li> </ul>
Flow	<ol style="list-style-type: none"> <li>1. The user attempts to access the eHealth WS Therapeutic Link</li> <li>2. The user needs to request a SAML Token by using it's <i>personal eHealth Certificate</i></li> <li>3. A request for a SAML Token is sent to the Secure Token Service (STS)</li> <li>4. The STS responds with a SAML Token</li> <li>5. The user has access to the eHealth WS Therapeutic Link</li> <li>6. The user does a request for Put Therapeutic Link</li> <li>7. The Put Therapeutic Link Request is sent to the WS Therapeutic Link</li> <li>8. The WS Consent responds with a Therapeutic Link Response: <b>error message</b></li> </ol>
PostCondition(s)	<b>Error message</b>
Test Data	<ul style="list-style-type: none"> <li>• Example Put Therapeutic Link Request</li> <li>• Example Put Therapeutic Link Response</li> <li>• Example Put Therapeutic Link Response - Unsuccessful</li> </ul>
Endpoint(s)	Therapeutic Link Database

# Exception Flow 3

Flow	Specifications														
 Unknown macro: 'drawio'	<table> <tr> <td>ID</td><td>UC-231-EF03</td></tr> <tr> <td>Name</td><td>Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born - <b>Sender not allowed to perform the declaration</b></td></tr> <tr> <td>Description</td><td> <p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization) <b>The sender is not allowed to perform the declaration according to the predefined rules e.g. validation on the author (NIHII valid, SSIN valid,...?)</b></p> </td></tr> <tr> <td>Actor(s)</td><td>HC Professional in a pharmacy</td></tr> <tr> <td>Requirements</td><td> <ul style="list-style-type: none"> <li>End-user is a HC professional in a pharmacy who is the pharmacy holder</li> <li>End-user manages the therapeutic links throughout his usual software</li> <li>Valid eHealth Certificate of the pharmacy</li> <li>Concerned patient is a new-born</li> <li>Identification HC professional</li> </ul> <p>°Identifier pharmacy: NIHII, HC category</p> <p>°Identifier pharmacy holder: SSIN, NIHII, HC party category</p> <ul style="list-style-type: none"> <li>Information therapeutic link</li> </ul> <p>°Identification concerned patient: SSIN, first and family name</p> <p>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</p> <ul style="list-style-type: none"> <li>Type of therapeutic link: <b>pharmacydelivery</b></li> <li>Period of validity 15 months</li> <li><b>The sender is not allowed to perform the declaration according to the predefined rules e.g. validation on the author (NIHII valid, SSIN valid,...?)</b></li> </ul> </td></tr> <tr> <td>Trigger</td><td>The user wants to put a therapeutic link</td></tr> <tr> <td>Preconditions</td><td> <ul style="list-style-type: none"> <li>The user has an account for the application</li> <li>The user is logged out</li> </ul> </td></tr> </table>	ID	UC-231-EF03	Name	Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born - <b>Sender not allowed to perform the declaration</b>	Description	<p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization) <b>The sender is not allowed to perform the declaration according to the predefined rules e.g. validation on the author (NIHII valid, SSIN valid,...?)</b></p>	Actor(s)	HC Professional in a pharmacy	Requirements	<ul style="list-style-type: none"> <li>End-user is a HC professional in a pharmacy who is the pharmacy holder</li> <li>End-user manages the therapeutic links throughout his usual software</li> <li>Valid eHealth Certificate of the pharmacy</li> <li>Concerned patient is a new-born</li> <li>Identification HC professional</li> </ul> <p>°Identifier pharmacy: NIHII, HC category</p> <p>°Identifier pharmacy holder: SSIN, NIHII, HC party category</p> <ul style="list-style-type: none"> <li>Information therapeutic link</li> </ul> <p>°Identification concerned patient: SSIN, first and family name</p> <p>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</p> <ul style="list-style-type: none"> <li>Type of therapeutic link: <b>pharmacydelivery</b></li> <li>Period of validity 15 months</li> <li><b>The sender is not allowed to perform the declaration according to the predefined rules e.g. validation on the author (NIHII valid, SSIN valid,...?)</b></li> </ul>	Trigger	The user wants to put a therapeutic link	Preconditions	<ul style="list-style-type: none"> <li>The user has an account for the application</li> <li>The user is logged out</li> </ul>
ID	UC-231-EF03														
Name	Put Therapeutic Link - HC Professional within a pharmacy (pharmacy holder) – new-born - <b>Sender not allowed to perform the declaration</b>														
Description	<p>Put Therapeutic Link, service used to declare a therapeutic link between a patient and a HC party.</p> <p>The concept of proof is not applied when the concerned patient is a new-born.</p> <p>HC professional within a pharmacy acts as author of the Put Therapeutic Link for a new-born. Certificate used to access the WS Therapeutic Link is the eHealth Certificate of the end-user (HC Organization) <b>The sender is not allowed to perform the declaration according to the predefined rules e.g. validation on the author (NIHII valid, SSIN valid,...?)</b></p>														
Actor(s)	HC Professional in a pharmacy														
Requirements	<ul style="list-style-type: none"> <li>End-user is a HC professional in a pharmacy who is the pharmacy holder</li> <li>End-user manages the therapeutic links throughout his usual software</li> <li>Valid eHealth Certificate of the pharmacy</li> <li>Concerned patient is a new-born</li> <li>Identification HC professional</li> </ul> <p>°Identifier pharmacy: NIHII, HC category</p> <p>°Identifier pharmacy holder: SSIN, NIHII, HC party category</p> <ul style="list-style-type: none"> <li>Information therapeutic link</li> </ul> <p>°Identification concerned patient: SSIN, first and family name</p> <p>°Identification concerned HC party: NIHII (8digits), HC party category, organization name (optional)</p> <ul style="list-style-type: none"> <li>Type of therapeutic link: <b>pharmacydelivery</b></li> <li>Period of validity 15 months</li> <li><b>The sender is not allowed to perform the declaration according to the predefined rules e.g. validation on the author (NIHII valid, SSIN valid,...?)</b></li> </ul>														
Trigger	The user wants to put a therapeutic link														
Preconditions	<ul style="list-style-type: none"> <li>The user has an account for the application</li> <li>The user is logged out</li> </ul>														



Flow	<ol style="list-style-type: none"> <li>1. The user attempts to access the eHealth WS Therapeutic Link</li> <li>2. The user needs to request a SAML Token by using it's <i>personal eHealth Certificate</i></li> <li>3. A request for a SAML Token is sent to the Secure Token Service (STS)</li> <li>4. The STS responds with a SAML Token</li> <li>5. The user has access to the eHealth WS Therapeutic Link</li> <li>6. The user does a request for Put Therapeutic Link</li> <li>7. The Put Therapeutic Link Request is sent to the WS Therapeutic Link</li> <li>8. The WS Consent responds with a Therapeutic Link Response: <b>error message</b></li> </ol>
Post Condition(s)	<b>Error message</b>
Test Data	<ul style="list-style-type: none"> <li>• <a href="#">Example Put Therapeutic Link Request</a></li> <li>• <a href="#">Example Put Therapeutic Link Response</a></li> <li>• <a href="#">Example Put Therapeutic Link Response - Unsuccessful</a></li> </ul>
Endpoint(s)	Therapeutic Link Database